

L Number	Hits	Search Text	DB	Time stamp
1	2	(print\$5 adj press\$5) same (transducer\$3 or sensor\$3 or encoder\$3) same (ang\$5 adj position\$3) same (drum\$5 near cylinder\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 11:13
2	2	((print\$5 adj press\$5) same (transducer\$3 or sensor\$3 or encoder\$3) same (ang\$5 adj position\$3) same (drum\$5 near cylinder\$5)) and (gear near4 disposed)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 11:14
3	45	(print\$5 adj press\$5) same (transducer\$3 or sensor\$3 or encoder\$3) same (ang\$5 adj position\$3) same (gear\$3 or drum\$5 or cylinder\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 12:38
4	9	((("5456192") or ("5540424") or ("6072935") or ("6167191") or ("6339671") or ("6516337") or ("6675205") or ("6393987") or ("5826505")).PN.	USPAT	2004/05/18 12:40
5	2	6393987.URPN.	USPAT	2004/05/18 12:57
6	7	("4011812" "5353703" "5526107" "5727462" "5908541" "6125751" "6393987").PN.	USPAT	2004/05/18 13:03
7	6	("3167007" "4911075" "4936211" "5163368" "5713287" "6101944").PN.	USPAT	2004/05/18 13:09
8	8	6101944.URPN.	USPAT	2004/05/18 13:10
9	12	5826505.URPN.	USPAT	2004/05/18 13:14
10	12	("4753168" "4864927" "5235910" "5381734" "5590597" "5813336" "5826505" "5983794" "6085651" "6205926" "6216592" "6289805").PN.	USPAT	2004/05/18 13:16
11	1	6289805.URPN.	USPAT	2004/05/18 13:23
12	1	6668721.URPN.	USPAT	2004/05/18 13:23
13	6	("5690029" "6009807" "6138566" "6302018" "6327975" "6668721").PN.	USPAT	2004/05/18 13:24
14	0	6736063.URPN.	USPAT	2004/05/18 13:25
15	6	("5690029" "6009807" "6138566" "6302018" "6327975" "6668721").PN.	USPAT	2004/05/18 13:25
16	5	6009807.URPN.	USPAT	2004/05/18 13:28
17	12	("4753168" "4864927" "5235910" "5381734" "5590597" "5813336" "5826505" "5983794" "6085651" "6205926" "6216592" "6289805").PN.	USPAT	2004/05/18 13:39
18	1	6216592.URPN.	USPAT	2004/05/18 14:13
19	9	("4072104" "4458590" "4643090" "4833982" "5337664" "5979317" "6019039" "6032579" "6085651").PN.	USPAT	2004/05/18 14:13
20	20	4072104.URPN.	USPAT	2004/05/18 14:18
-	13	((("5163368") or ("5235914") or ("5237923") or ("6393987") or ("5826505") or ("5456192") or ("5540424") or ("6072935") or ("6167191") or ("6339671") or ("5456192") or ("5540424") or ("6072935") or ("6167191") or ("6516337") or ("6393987") or ("5174205") or ("5182990") or ("5456192") or ("5174205")).PN.	USPAT	2003/05/15 13:09
-	3	((("5062364") or ("5005479") or ("4596468")).PN.	USPAT	2003/05/06 10:33
-	1	("6393987").PN.	USPAT	2003/05/06 12:00
-	1	("6349643").PN.	USPAT	2003/05/06 12:03
-	2	6393987.bi,uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/06 12:48
-	8	5826505.bi,uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/06 12:06

-	0	6393987.pn. and (transducer\$3 or encoder\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/06 13:14
-	1	5826505.pn. and (transducer\$3 or encoder\$3)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/06 13:15
-	0	6393987.pn. and (sensor\$5)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/06 13:26
-	1	5237923.pn. and (transducer\$3 or encoder\$3 or sensor\$5)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/06 13:23
-	0	6349643.pn. and (transducer\$3 or encoder\$3 or sensor\$5)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/06 13:24
-	2	5174205.pn. and (transducer\$3 or encoder\$3 or sensor\$5)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/06 13:24
-	2	6393987.pn.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/06 13:30
-	1	"3167007".PN.	USPÄT; US-PGPUB	2003/05/06 13:27
-	1	"6101944".PN.	USPAT; US-PGPUB	2003/05/06 13:28
-	1	"5713287".PN.	USPAT; US-PGPUB	2003/05/06 13:28
-	1	"5163368".PN.	USPAT; US-PGPUB	2003/05/06 13:29
-	1	"4936211".PN.	USPAT; US-PGPUB	2003/05/06 13:29
-	39	(print\$5 adj press\$5) same (transducer\$3 or sensor\$3 or encoder\$3) same (ang\$5 adj position\$3) same (gear\$3 or drum\$5 or cylinder\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 12:08
-	1	(print\$5 adj press\$5) same (transducer\$3 or sensor\$3 or encoder\$3) same (ang\$5 adj position\$3) same (drum\$5 near cylinder\$5)	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/05/18 11:11
-	2	6443067.pn.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/06 14:29
-	1	"4489653".PN.	USPÄT; US-PGPUB	2003/05/06 14:29
-	1	"5868072".PN.	USPAT; US-PGPUB	2003/05/06 14:29
-	1	(print\$5 adj press\$5) same (transducer\$3 or sensor\$3 or encoder\$3) same (ang\$5 adj position\$3) same (drum\$5 near cylinder\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/06 15:11

-	0	((print\$5 adj press\$5) same (transducer\$3 or sensor\$3 or encoder\$3) same (ang\$5 adj position\$3) same (drum\$5 near cylinder\$5)) and respectively	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/06 15:12
-	1	((print\$5 adj press\$5) same (transducer\$3 or sensor\$3 or encoder\$3) same (ang\$5 adj position\$3) same (drum\$5 near cylinder\$5)) and angular	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/06 15:12
-	1	((print\$5 adj press\$5) same (transducer\$3 or sensor\$3 or encoder\$3) same (ang\$5 adj position\$3) same (drum\$5 near cylinder\$5)) and (transducer same (angular adj position))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/06 15:15
-	1	((print\$5 adj press\$5) same (transducer\$3 or sensor\$3 or encoder\$3) same (ang\$5 adj position\$3) same (drum\$5 near cylinder\$5)) and (drum)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/06 15:17
-	1	((print\$5 adj press\$5) same (transducer\$3 or sensor\$3 or encoder\$3) same (ang\$5 adj position\$3) same (drum\$5 near cylinder\$5)) and (printing-form adj cylinder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/06 15:21
-	1	((print\$5 adj press\$5) same (transducer\$3 or sensor\$3 or encoder\$3) same (ang\$5 adj position\$3) same (drum\$5 near cylinder\$5)) and (transducer)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/06 15:25
-	1	((print\$5 adj press\$5) same (transducer\$3 or sensor\$3 or encoder\$3) same (ang\$5 adj position\$3) same (drum\$5 near cylinder\$5)) and (production)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/06 15:25
-	2399	print\$3 same (imag\$3 or (produc\$3 near print\$3)) same gear\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 10:30
-	60	(print\$3 near gear\$2) same ((imag\$3 or (produc\$3 near print\$3)) same gear\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 10:32
-	2	(print\$3 near gear\$2) same ((imag\$3 or (produc\$3 near print\$3)) near gear\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 10:37
-	60	((print\$3 near gear\$2) same ((imag\$3 or (produc\$3 near print\$3)) same gear\$3)) and print\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:11
-	251	(angle adj rotation) near (drum\$3 or cylinder\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:13
-	14	(angle adj rotation) near (drum\$3 or cylinder\$3) same print\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:14
-	14	(angle\$12 adj rotation) near (drum\$3 or cylinder\$3) same print\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:16

-	15	(angle\$12 adj rotation) near (drum\$3 or cylinder\$3 or gear\$3) same print\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:47
-	2	5713287.pn. and rotat\$15	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:50
-	2	6349643.pn. and rotat\$15	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 12:52
-	0	6349643.pn. and angl\$15	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 13:01
-	2	6393987.pn.	USPÄT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/07 13:01
-	3	((("4752351") or ("4847934") or ("5863383"))).PN.	USPAT	2003/05/07 14:58
-	1	("6432235").PN.	USPAT;	2003/05/07 15:11
-	1	"5948208".PN.	US-PGPUB	2003/05/07 15:08
-	1	"5932041".PN.	USPAT;	2003/05/07 15:09
-	1	"5874902".PN.	US-PGPUB	2003/05/07 15:09
-	1	"5874896".PN.	USPAT;	2003/05/07 15:09
-	1	"5863383".PN.	US-PGPUB	2003/05/07 15:10
-	1	"5785181".PN.	USPAT;	2003/05/07 15:10
-	1	"5745036".PN.	US-PGPUB	2003/05/07 15:10
-	1	"5435863".PN.	USPAT;	2003/05/07 15:10
-	1	"4847934".PN.	US-PGPUB	2003/05/07 15:10
-	1	"4752351".PN.	USPAT;	2003/05/07 15:11
-	0	6432235.bi,uref.	USPAT;	2003/05/07 15:11
-	1	("6393987").PN.	US-PGPUB	2003/05/07 15:12
-	1	(print\$5 adj press\$5) same (transducer\$3 or sensor\$3 or encoder\$3) same (ang\$5 adj position\$3) same (drum\$5 near cylinder\$5)	USPAT	2003/05/14 08:35
-	39	(print\$5 adj press\$5) same (transducer\$3 or sensor\$3 or encoder\$3) same (ang\$5 adj position\$3) same (gear\$3 or drum\$5 or cylinder\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 08:48
-	1	("5413038").PN.	USPÄT; US-PGPUB	2003/05/14 09:07
-	13	((("6393987") or ("6349643") or ("3594552") or ("6283467") or ("5182990") or ("5826505") or ("5163368") or ("5713287") or ("6101944") or ("5740054") or ("5174205") or ("5235914") or ("5237923"))).PN.	USPAT	2003/05/14 09:40
				2003/05/14 09:43

-	9	((("5005479") or ("4596468") or ("5456192") or ("5540424") or ("6072935") or ("6167191") or ("6339671") or ("5887526") or ("5062364")).PN.	USPAT	2003/05/14 10:08
-	1	("6393987").PN.	USPAT	2003/05/14 10:09
-	0	6393987.URPN.	USPAT	2003/05/14 10:08
-	0	6393987.URPN.	USPAT	2003/05/14 10:08
-	2	6393987.bi,uref.	USPAT; US-PGPUB	2003/05/14 11:22
-	2	6393987.bi,uref. and (gear adj transmission)	USPAT; US-PGPUB	2003/05/14 11:28
-	2	6393987.bi,uref. and (device same set\$5 same imag\$5)	USPAT; US-PGPUB	2003/05/14 11:31
-	1	6393987.bi,uref. and (switchable adj speed\$7)	USPAT; US-PGPUB	2003/05/14 12:37
-	0	6393987.bi,uref. and (plante adj gears)	USPAT; US-PGPUB	2003/05/14 11:35
-	1	6393987.bi,uref. and (planet adj gears)	USPAT; US-PGPUB	2003/05/14 11:41
-	2	6393987.bi,uref. and ("38")	USPAT; US-PGPUB	2003/05/14 11:41
-	1	6393987.bi,uref. and (operating adj cylinder)	USPAT; US-PGPUB	2003/05/14 12:43
-	21634	((speed\$3 or rate\$2 or velocity) with(gear\$3 or tranmission)) and (switch\$5 or adjust\$3) and ((plat\$3 or print\$5 or form\$5) same (cylinder or roll\$5 or drum\$2))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 13:13
-	25	(change or changing or changed or adjust or adjusting or adjusted or switch or switching or switched) near2 (speed or velocity or velocities or rate) near4 (gear or transmission or gearing) with (print or printing or form or forme or plate) near1 (drum or roll or roller or cylinder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/14 13:21
-	1	5235914.pn. and form	USPAT; US-PGPUB	2003/05/15 13:11
-	1	5235914.pn. and cylinder	USPAT; US-PGPUB	2003/05/15 13:16
-	1	5235914.pn. and gear	USPAT; US-PGPUB	2003/05/15 13:18
-	0	5235914.pn. and transmission	USPAT; US-PGPUB	2003/05/15 13:19
-	0	5826505.pn. and (transmission near gear)	USPAT; US-PGPUB	2003/05/15 13:20
-	1	5826505.pn. and (train)	USPAT; US-PGPUB	2003/05/15 13:21
-	1	5826505.pn. and (speed or rate)	USPAT; US-PGPUB	2003/05/15 13:30
-	1	5826505.pn. and ((form or plate) adj cylinder)	USPAT; US-PGPUB	2003/05/15 13:44
-	1	5826505.pn. and (image)	USPAT; US-PGPUB	2003/05/15 13:47
-	1	5826505.pn. and ("G")	USPAT; US-PGPUB	2003/05/15 13:45
-	1	5826505.pn. and (imag\$7)	USPAT; US-PGPUB	2003/05/15 13:48
-	1	5235914.pn. and (42c)	USPAT; US-PGPUB	2003/05/15 13:49
-	1	4953461.pn.	USPAT; US-PGPUB	2003/05/16 12:43
-	1	4137845.pn.	USPAT; US-PGPUB	2003/05/16 13:11
-	9	4137845.URPN.	USPAT	2003/05/16 12:45
-	9	4137845.URPN.	USPAT	2003/05/16 12:48
-	3	4782752.URPN.	USPAT	2003/05/16 12:50
-	0	5826505.pn. and (imag\$5 near2 print\$5)	USPAT; US-PGPUB	2003/05/16 13:22
-	1	5826505.pn. and (imag\$5 same print\$5)	USPAT; US-PGPUB	2003/05/16 13:15

-	1	5826505.pn. and (imag\$5)	USPAT; US-PGPUB	2003/05/16 13:16
-	1	5237923.pn. and ("42d")	USPAT; US-PGPUB	2003/05/19 11:58
-	1	5159878.pn. and (imag\$5 near2 print\$5)	USPAT; US-PGPUB	2003/05/16 13:32
-	1	4953461.pn. and (imag\$5 near2 print\$5)	USPAT; US-PGPUB	2003/05/16 13:37
-	1	5159878.pn. and ("26")	USPAT; US-PGPUB	2003/05/16 14:23
-	1	6534966.pn.	USPAT; US-PGPUB	2003/05/16 14:24
-	1	5237923.pn. and (image)	USPAT; US-PGPUB	2003/05/19 13:09
-	0	5237923.pn. and (epicyclic)	USPAT; US-PGPUB	2003/05/19 12:59
-	0	(epicyclic adj gear) near planet\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 12:59
-	113	(epicyclic adj gear) near planet\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 12:59
-	0	5237923.pn. and (epicyclic)	USPAT; US-PGPUB	2003/05/19 13:09
-	35	((epicyclic adj gear) near planet\$5) same speed\$9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 13:01
-	0	((epicyclic adj gear) near planet\$5) same speed\$9 same print\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 13:03
-	2	((epicyclic adj gear) near planet\$5) same speed\$9) and print\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/19 13:04
-	1	6367344.URPN.	USPAT	2003/05/19 13:05
-	0	5237923.pn. and (shaft)	USPAT; US-PGPUB	2003/05/19 13:09
-	0	4953461.pn. and (epicyclic)	USPAT; US-PGPUB	2003/05/19 13:10
-	1	4953461.pn. and (shaft)	USPAT; US-PGPUB	2003/05/19 13:31
-	0	4953461.pn. and (adjust\$5)	USPAT; US-PGPUB	2003/05/19 13:34
-	9	((epicyclic adj gear) near planet\$5) same speed\$9) and (adjust\$5)	USPAT; US-PGPUB	2003/05/19 13:45
-	18	((epicyclic adj gear) near planet\$5) same speed\$9) and (ratio\$5)	USPAT; US-PGPUB	2003/05/19 13:45
-	3	((epicyclic adj gear) near planet\$5) same speed\$9) and (transmission adj ratio\$5)	USPAT; US-PGPUB	2003/05/19 13:55
-	0	"4953461" and (transmission adj ratio\$5)	USPAT; US-PGPUB	2003/05/19 13:55
-	3	"4953461" and (ratio\$5)	USPAT; US-PGPUB	2003/05/19 14:04
-	1	("4953461").PN.	USPAT; US-PGPUB	2003/05/19 14:04
-	1	("6393987").PN.	USPAT; US-PGPUB	2003/05/19 15:12
-	2	((freewheeling adj clutch) same cylinder) and print\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/20 08:19

-	19	((("4953461") or ("5237923") or ("6393987") or ("4782752") or ("4137845") or ("5163368") or ("5826505") or ("5159878") or ("5887526") or ("5651314") or ("3594552") or ("5005479") or ("6070529") or ("5562031") or ("5235914") or ("4057014") or ("5791541") or ("6101944") or ("6283467")).PN.	USPAT	2003/05/20 06:55
-	2	((freewheeling adj clutch) same cylinder) and print\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/20 08:20
-	2	((freewheeling adj clutch) same cylinder) and print\$5) and ang\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/20 08:57
-	8	((("4953461") or ("5237923") or ("6393987") or ("4782752") or ("4137845") or ("5163368") or ("5826505") or ("5159878") or ("5887526") or ("5651314") or ("3594552") or ("5005479") or ("6070529") or ("5562031") or ("5235914") or ("4057014") or ("5791541") or ("6101944") or ("6283467")).PN.) and (freewhee\$5 or slip\$5 or clutch\$3 or (claim\$5 adj ring))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/20 09:50
-	0	6393987.URPN.	USPAT	2003/05/20 09:20
-	0	6393987.URPN.	USPAT	2003/05/20 09:21
-	0	6393987.URPN.	USPAT	2003/05/20 09:21
-	0	6393987.URPN.	USPAT	2003/05/20 09:22
-	0	6393987.URPN.	USPAT	2003/05/20 09:22
-	1	"6101944".PN.	USPAT; US-PGPUB	2003/05/20 09:22
-	0	6393987.URPN.	USPAT	2003/05/20 09:34
-	0	6393987.URPN.	USPAT	2003/05/20 09:34
-	1	"5713287".PN.	USPAT; US-PGPUB	2003/05/20 09:35
-	1	"5163368".PN.	USPAT; US-PGPUB	2003/05/20 09:38
-	1	"4936211".PN.	USPAT; US-PGPUB	2003/05/20 09:38
-	1	"4911075".PN.	USPAT; US-PGPUB	2003/05/20 09:39
-	1	"3167007".PN.	USPAT; US-PGPUB	2003/05/20 09:42
-	2	6393987.bi,uref.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/20 09:53
-	0	6393987.pn. and (sensor\$3 or detect\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/20 09:55
-	8	((("4953461") or ("5237923") or ("6393987") or ("4782752") or ("4137845") or ("5163368") or ("5826505") or ("5159878") or ("5887526") or ("5651314") or ("3594552") or ("5005479") or ("6070529") or ("5562031") or ("5235914") or ("4057014") or ("5791541") or ("6101944") or ("6283467")).PN.) and (sensor\$3 or detect\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/20 10:13
-	2	5562031.pn. and press	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/20 11:35

-	1	6393987.pn. and (print\$3 adj cylinder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/20 11:37
-	1	6393987.pn. and (print\$3 near cylinder)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/20 11:37
-	2	6393987.pn. and (print\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/20 11:48
-	0	((freewheeling adj clutch) same cylinder) and print\$5) and (transm\$5 adj gear)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/20 11:44
-	1	((freewheeling adj clutch) same cylinder) and print\$5) and (transm\$9 adj gear)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/20 11:45
-	2	6393987.pn. and ("16")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/20 11:49
-	2	6393987.pn. and (form)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/20 11:53
-	1	6393987.pn. and (motor)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/20 11:55
-	2	6393987.pn. and ("8")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/20 11:57
-	2	6393987.pn. and (driv\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/20 12:26
-	19	clutch near2 (clamp\$5 adj ring\$2)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/20 12:57
-	1	(clutch near2 (clamp\$5 adj ring\$2)) and print\$9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/20 12:37
-	1	5302046.pn. and clutch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/20 12:37
-	5	clutch near2 (clamp\$5 adj connect\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/05/20 13:26

-	2	5887526.pn. and reference	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/05/20 13:27
-	27749	((press\$5 or impress or (on adj press) or onpress) near5 motor or driver) same imag\$6	USPAT; US-PGPUB	2003/09/11 11:37
-	27551	((press\$5 or impress or (on adj press) or onpress) near3 motor or driver) same imag\$6	USPAT; US-PGPUB	2003/09/11 10:41
-	387	(press\$5 or impress or (on adj press) or onpress) near3 (motor or driver) same imag\$6	USPAT; US-PGPUB	2003/09/11 10:43
-	391	(press\$5 or impress or (on adj press) or onpress) near3 (motor or driver) same (imag\$6 or (product\$6 near4 print\$5))	USPAT; US-PGPUB	2003/09/11 10:49
-	1	6393987.pn. and "26"	USPAT; US-PGPUB	2003/09/11 11:24
-	1	6393987.pn. and motor	USPAT; US-PGPUB	2003/09/11 10:56
-	0	6393987.pn. and (sensor or transducer)	USPAT; US-PGPUB	2003/09/11 11:00
-	0	6393987.pn. and (sensor or transducer)	USPAT; US-PGPUB	2003/09/11 11:01
-	224	((press\$5 or impress or (on adj press) or onpress) near3 (motor or driver) same (imag\$6 or (product\$6 near4 print\$5))) and (sensor or transducer)	USPAT; US-PGPUB	2003/09/11 11:16
-	16	((press\$5 or impress or (on adj press) or onpress) near3 (motor or driver) same (imag\$6 or (product\$6 near4 print\$5))) and (sensor or transducer) and (angular near2 position)	USPAT; US-PGPUB	2003/09/11 11:24
-	0	6393987.pn. and (angular near2 position)	USPAT; US-PGPUB	2003/09/11 11:28
-	0	6393987.pn. and (angular)	USPAT; US-PGPUB	2003/09/11 11:25
-	1	6393987.pn. and (position)	USPAT; US-PGPUB	2003/09/11 11:25
-	3	((press\$5 or impress or (on adj press) or onpress) near3 (motor or driver) same imag\$6) and (detect\$6 near3 (angular near2 position))	USPAT; US-PGPUB	2003/09/11 11:37
-	1549	(press\$5 or impress or (on adj press) or onpress) and ((sensor or transducer) and (detect\$6 near3 (angular near2 position)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 11:39
-	181	(press\$5 or impress or (on adj press) or onpress) same ((sensor or transducer) same (detect\$6 near3 (angular near2 position)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/11 11:39
-	8	5142981.URPN.	USPAT	2003/09/11 11:54
-	2	((("5237923") or ("4953461")).PN.	USPAT; US-PGPUB	2003/09/16 11:33
-	0	(10/231,809).CCLS.	USPAT; US-PGPUB	2003/09/16 11:33
-	1	10/231,809	USPAT; US-PGPUB	2003/09/16 11:34
-	1	10/231,809 and (imaging adj operation)	USPAT; US-PGPUB	2003/09/16 11:35
-	1	10/231,809 and ((imaging adj operation) same (form adj cylinder))	USPAT; US-PGPUB	2003/09/16 11:36
-	1	10/231,809 and ((imaging adj operation) same (form adj cylinder) same (speed\$9 adj gear))	USPAT; US-PGPUB	2003/09/16 11:57
-	1	10/231,809 and ((form adj cylinder) same (transfer adj cylinder))	USPAT; US-PGPUB	2003/09/16 11:58

-	3	"6393987"	USPAT; US-PGPUB	2003/09/17 08:22
-	0	6393987.pn. and freewheeling	USPAT; US-PGPUB	2003/09/17 08:23
-	243	(freewheeling or freewheeling) near2 clutch	USPAT; US-PGPUB	2003/09/17 08:27
-	377	(freewheeling or freewheeling) adj clutch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/17 08:27
-	647	(freewheeling or free-wheeling) adj clutch	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/17 08:59
-	2	((freewheeling or free-wheeling) adj clutch) same imag\$6 same print\$5 same cylinder	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/17 09:00
-	3	((freewheeling or free-wheeling) adj clutch) same imag\$6 same print\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/17 09:00
-	7	((freewheeling or free-wheeling) adj clutch) same print\$5	USPAT; US-PGPUB	2003/09/22 07:41
-	1	("6393987").PN.	USPAT; US-PGPUB	2003/09/22 07:41
-	0	4565360.pn. and (freewheelingadjclutch)	USPAT; US-PGPUB	2003/09/24 07:43
-	0	4565360.pn. and (freewheeling adj clutch)	USPAT; US-PGPUB	2003/09/24 07:43
-	1	4565360.pn. and (clutch)	USPAT; US-PGPUB	2003/09/24 07:43
-	1	3853024.pn. and free	USPAT; US-PGPUB	2003/09/24 09:33